



Specialist for Various Hospitalisation Item

Phoenix India

Innovative Thinking Making New India



Regd. Office :
Salboni, Paschim Medinipur-721147

Office :
Keranichoti,
Paschim Medinipur-721102 (W.B)

phoenixindia.wb@gmail.com

8159975189

7908047414 / 9614964000



FIVE FUNCTION ELECTRIC ICU BED

STD. configuration :-

- Advanced medical motor system (4 pcs. motor, 1 pc control box, 1 pc hand set)
- 60 mm x 30 mm CRCA tubular frame work
- ABS/ Polymer base top (Set of 10 pieces)
- ABS/ Polymer moulded head and foot board with buffer on four corner
- ABS/ Polymer moulded split type side railings (Set of 4)
- Four heavy duty swivel castors of 125 mm diameter (Diagonal wheels with brake)

- Pretreated and epoxy powder coated
- Urine bag holder
- Stainless steel telescopic saline attachment with four way hooks
- Quick fold down system (CPR)
- Backup power system (UPS)
- Attendant control panel (ACP) with patient handset

Optional Accessories :-

- 1) Four section PU foam mattress
- 2) Food table
- 3) Central locking wheel set
- 4) Inbuilt Membrane control systems on foot & side panels.

Overall Size :-

2240 mm L x 1080 mm W x Height adjustable from 535 mm to 890 mm



THREE FUNCTION ELECTRIC ICU BED

STD. configuration :-

- Advanced medical motor system (3 pcs. motor, 1 pc control box, 1 pc hand set)
- 60 mm x 30 mm CRCA tubular frame work
- Four section perforated CRCA sheet top
- ABS/ Polymer moulded head and foot board with buffer on four corner

- Pair of collapsible side railings
- Four heavy duty swivel castors of 125 mm diameter (Diagonal wheels with brake)
- Pretreated and epoxy powder coated
- Urine bag holder
- Stainless steel telescopic saline attachment
- Patient handset

Optional Accessories :-

- 1) Four section PU foam mattress
- 2) Food table
- 3) Central locking wheel set
- 4) Luxurious ABS/ polymer side railings (Set of four)

Overall Size :-

2140 mm L x 960 mm W x Height adjustable from 560 mm to 760 mm



FOUR FUNCTION MANUAL ICU BED

STD. configuration :-

- 60 mm x 30 mm CRCA tubular frame work
- Four section perforated CRCA sheet top
- Backrest, knee rest, trendelenburg-reverse trendelenburg and height adjustment operated by screw mechanism
- ABS/ Polymer moulded head and foot board
- A pair of new design collapsible side railings
- Four heavy duty swivel castors of 125 mm diameter (Diagonal wheels with brake)
- Pretreated and epoxy powder coated
- Urine bag holder
- Telescopic saline attachment

Optional Accessories :-

- 1) Luxurious four-fold ABS guiderails
- 2) Four section PU foam mattress
- 3) Food table
- 4) Stainless steel bows and side railings
- 5) File holder

Overall Size :-

2200 mm L x 990 mm W x Height adjustable from 570 mm to 860 mm



THREE FUNCTION MANUAL ICU BED

STD. configuration :-

- 60 mm x 30 mm CRCA tubular frame work
- Four section perforated CRCA sheet top
- Backrest, knee rest, trendelenburg and reverse trendelenburg operated by screw mechanism
- ABS/ Polymer moulded head and foot board with buffer on four corners
- A pair of new designed collapsible side railings
- Four heavy duty swivel castors of 125 mm diameter (Diagonal wheels with brake)
- Pretreated and epoxy powder coated
- Urine bag holder
- Telescopic saline attachment

Optional Accessories :-

- 1) Luxurious four fold PP guiderails
- 2) Four section PU foam mattress
- 3) Food table
- 4) Stainless steel bows and side railings
- 5) File holder

Overall Size :-

2200 mm L x 960 mm W x 610 mm H



FOWLER BED (DELUXE)

Overall size :- 2200mm L x 990mm W x 610mm H

- Pretreated and epoxy powder coated
- CRCA steel bed with backrest and knee rest adjustable on two separate lead screws
- ABS/Polymer moulded Head & Foot Board
- A pair of new design collapsible side railings
- Two locations for I.V. rod
- Urine bag holder



SEMI FOWLER BED (DELUXE)

Overall size :- 2200mm L x 990mm W x 610mm H

- Pretreated and epoxy powder coated
- CRCA steel bed with backrest adjustable on a lead screw
- ABS/Polymer moulded Head & Foot Board
- A pair of new design collapsible side railings
- Two locations for I.V. rod
- Urine bag holder



FOWLER BED-DELUXE

Overall size :- 2090 mm L x 920 mm W x 580 mm H

- Pretreated and epoxy powder coated
- CRCA steel bed with two Lead screw fowler positions
- Backrest, knee rest operated by Screw
- Two locations for I.V. rod
- Urine bag holder
- Sizes available as per users need



SEMI FOWLER BED STANDARD

Overall size :- 1880 mm L x 830 mm W x 570 mm H

- Pretreated and epoxy powder coated
- CRCA steel bed with backrest adjustable on a lead screw
- Backrest operated by screw
- Two locations for I.V. rod
- Urine bag holder
- Sizes available as per users need



PLAIN HOSPITAL BED

Overall Size :- 1880 mm L x 830 mm W x 570 mm H

- Pretreated and epoxy powder coated
- CRCA steel bed
- Two locations for I.V. rod
- Urine bag holder
- Sizes available as per users need
- Separate or inbuilt Backrest can be provided




STANDARD MATERNITY BED

Overall size :- 1880 mm L x 830 mm W x 570 mm H

- Pretreated and epoxy powder coated
- Baby cradle attachment
- Two locations for I.V. rod
- Urine bag holder

Optional : Separate Baby Cradle Trolley



PAEDIATRIC BED

Overall size :- 1575 mm L x 860 mm W x 570 mm H


- Pretreated and epoxy powder coated
- CRCA steel compact bed
- Full length drop side railings



TELESCOPIC SALINE ATTACHMENTS

Overall Size :-

- 4 & 3 Fold - 2240mm L x 1080mm W x 120 - 180mm t
- 2 Fold - 2090 mm L X 920 mm w x 122 - 180mm t
- Single Fold - 1800mm x 830 mm w x 100mm t



ALL TYPES OF MATTRESSES

Overall Size :-

- 4 & 3 Fold - 2240mm L x 1080mm W x 120 - 180mm t
- 2 Fold - 2090 mm L X 920 mm w x 122 - 180mm t
- Single Fold - 1800mm x 830 mm w x 100mm t



SALINE STANDS

Overall size: - 430 mm x 430 mm base with fixed height 1270 mm adjustable up to 1930 mm

- Pretreated and epoxy powder coated CRCA tubular structure
- Available in heavy duty with wheels, complete stainless steel



STRETCHER ON TROLLEY

Overall size :- 2080 mm L x 610 mm W x 840 mm H

- Pretreated and epoxy powder coated base frame with removable top,
- available in stainless steel top & complete stainless steel
- 100 mm diameter Diagonal wheels with brake



STRETCHER TROLLEY-FOLDING

Overall size :- 1840 mm L x 570 mm W x 800 mm H

Folding approx. size :- 1000 mm L x 510 mm W x 760 mm H

- Pretreated and epoxy powder coated, both side folding top fixed on CRCA tubular frame
- available in stainless steel top & complete stainless steel
- 100 mm diameter Diagonal wheels with brake



STANDARD ATTENDANT/RELATIVE BED

Overall size :- 1830 mm L x 620 mm W x 460 mm H


- Pretreated and epoxy powder coated
- CRCA steel compact bed



JUMBO OXYGEN CYLINDER TROLLEY

Overall size :- 300 mm L x 300 mm W x 1525 mm H

- Pretreated and epoxy powder coated
- 200 mm diameter front wheels
- 125 mm diameter support wheels



FOLDING STRETCHER (TWO FOLD)

Overall size :- 2010 mm L x 530 mm W x 150 mm H

- Stainless steel tubular structure having 1700 mm length rexine cloth
- two fold stretcher easy to carry
- With or without bag



CANVAS/REXINE STRECHER

Overall size :- 2040 mm L x 610 mm W

- Pretreated and epoxy powder coated CRCA tubular structure
- 1790 mm length cloth with lifting belts, Removable pipes



Commode

lightweight premium foldable commode chair with compact Design.

- Frame is designed ergonomically like a chair, using premium material. It has adjustments for height and has a pot and castors, allowing it to be used anywhere.
- MS Chrome plated foldable frame is sturdy yet lightweight. There are castors are lockable for extra safety.
- A bigger 17.5" (44cm) seat made from high quality plastic and comes with a seat cover.



Commode with Wheel

Frame Material

MS Power coated as well as chrome plated

Seat Width-17.5 inches

Seat Height-17.5-21.5 inches

Height adjustable-Yes,

Model weight-9kgs

Frame Style-Foldable



Inspection Couch

Overall Size : -

1895 mm x 560 mm x 830 mm

Headrest adjustable on crank or gas spring upper section of box with three Drawers

Lower section comprises of three cabinets with separate doors and lock on two side doors.

B.P apparatus Tray provided near headrest (Optional)

Inbuild sliding step stool, pre-treated and powder coated



EXAMINATION COUCH (FULL SIZE)

Overall size: - 1830 mm L x 610 mm W x 810 mm H

- Frame of CRCA square tubes, CRCA sheet cabinets and drawers
- Pretreated and epoxy powder coated
- Four Large size cabinets, three drawer and B.P. apparatus platform
- 75 mm thick mattress
- Step stool



EXAMINATION COUCH

Overall size: - 1830 mm L x 610 mm W x 810 mm H

- Frame of CRCA square tubes, CRCA sheet cabinets and drawers
- Pretreated and epoxy powder coated
- Four cabinets, three drawer and B.P. apparatus platform
- 75 mm thick mattress
- Step stool



GYNEC EXAMINATION COUCH

Overall size: - 1830 mm L x 610 mm W x 810 mm H

- Frame of CRCA square tubes, CRCA sheet cabinets and drawers
- Pretreated and epoxy powder coated
- Four cabinets, three drawer and B.P. apparatus platform
- 75 mm thick mattress
- Step stool
- Pair of lithotomic bars with belt



HALF CLOSED EXAMINATION COUCH

Overall size: - 1830 mm L x 610 mm W x 810 mm H

- Frame of CRCA square tubes, CRCA sheet cabinets and drawers
- Pretreated and epoxy powder coated
- Two cabinets, one drawer and B.P. apparatus platform
- 75 mm thick mattress
- Step stool



EXAMINATION TABLE (SIMPLE/GYNEC)

Overall size: - 1830 mm L x 610 mm W x 810 mm H

- Frame of pretreated and epoxy powder coated CRCA tubes
- Top with headrest adjustable on ratchet
- Gynec Table provided with lithotomy bars with belts



Wheel Chair with Break

Overall Size : -

Overall size - 630mm L x 1090 mm W x 960 mm H
 Seat Size - 460 mm L x 430 mm W x 460 mm H
 Powder Coated CRCA tubular framework with cushion
 and armrest 150 mm front wheels & 630 mm back wheels



Regular Chrome Plated Wheel Chair

Overall size - 630mm L x 1090 mm W x 960 mm H
 Seat Size - 460 mm L x 430 mm W x 460 mm H
 Chrome plated CRCA tubular framework with cushion
 and armrest 160 mm front wheels & 710 mm back wheels



Mag Wheel Chair

Overall Size : -

- Folding Mag Wheel chair With Fixed Arm & Footrest, Side Brakes And Easy Folding
- Chrome Plated Steel Frame
- Superior Quality Mag Wheels, Seat Width: 46 Cms (Approx) Max Load Bearing: 100 Kgs (Approx)
- Net Weight Of Wheel chair: 18 Kgs (Approx) Added Patients Safety Belt, Belts Work As A Support For User, Belt Has A Locking Clip And Is Adjustable
- Regular sturdy model, seat width of 46 centimetre (18-inch) chromed steel frame foldable self-propelled ed armrest ed footrests solid castors solid rear wheel push to lock brakes 23" rear wheel which allows individual to self-propel 8" front castors padded armrest for maximum patient comfort



Reclining Wheel Chair

- Out to out width in open position: 26 inches
- Seat Width: 18 inches / Total width in closing position: 11 inches
- Rear Wheel Size: 24 inches / Front Wheel Size: 8 inches
- Seat to Floor Height: 20 inches
- Seat Depth: 16 inches / Back Height: 33 inches
- Total Height: 50 inches / Max User Weight Capacity: 100 kgs
- Net Weight: 18 kg / Frame Style: Foldable
- Frame Material: Aluminium / Upholstery: Cloth like waterproof
- Armrest: Detachable for easy transfer to bed
- Footrest: Detachable, can also be elevated for support
- Wheel Quality: Tear resistant polyurethane wheels
- Rear Wheel Lock: Yes / Hand Brakes: Yes



Commode Wheel Chair

Foldable backrest, est, with strap for easy lifting, 15 inch seat width this manual wheel chair is a simple, lightweight and durable wheel chair. It has modern, stylish and unique elliptical design with streamlined shape, which is with low maintenance range. aluminum wheel chair is lightweight aluminum alloy frame with ed armrest and ootrest. It is foldable and can be carried around easily.



Reclining Commode Wheel Chair

Reclining high back, elevated leg rest and calf support, it can be pushed in sleeping position, with commode facility, detachable armrest and footrest Hydraulic reclining high back for a comfortable posture with detachable head rest comfortable armrest and dinner tray and it also has soft commode seat for patient comfort and front seat opening for easy personal cleansing Detachable & elevating footrest to rest legs at various levels

Features:

Seat Width - 43-48 cm
 Power Source - Manual
 Footrest Type - Detachable
 Wheel chair Type - Standard Economy
 Model Weight - 10-40 kg
 Armrest Type - Detachable
 Weight bearing capacity - Up to 100 kg
 Frame Style - Foldable / Height 90-120 cm
 Material - Steel / Foldable - Yes



BED SIDE LOCKER (DELUXE)

Size :- 450 mm L x 450 mm W x 860 mm H

- Pretreated and epoxy powder coated
- CRCA steel unit
- Drawer, cabinet & stainless steel top
- 50 mm diameter wheels



BEDSIDE LOCKERS (ABS)

Size :- 450 mm L x 410 mm W x 740 mm H

- ABS/ Polymer molded unit
- With Tray, Drawer, Cabinet & Towel holder
- With or without wheels



BED SIDE LOCKER (STANDARD)

Overall size :- 400 mm L x 350 mm W x 760 mm H

- Pretreated and epoxy powder coated
- CRCA steel unit with a cabinet & stainless steel top



BEDSIDE TROLLEY / TABLE

Overall size :- 460 mm L x 330 mm W x 860 mm H

- Complete stainless steel structure
- Available in two or three shelves, with or without wheels



BEDSIDE DRUG TROLLEY

Overall size :- 580 mm L x 360 mm W x 660 mm H

- Pretreated and epoxy powder coated with stainless steel top
- Available in complete stainless steel with three/ four shelves
- 50 mm diameter wheels



ECG MACHINE TROLLEY


Overall size: - 380 mm L x 460 mm W x 915 mm H

- Complete stainless steel trolley with three trays
- cable hanger on both sides & gel bottle holder
- 50 mm diameter wheels



SYRINGE PUMP STAND

- 25 mm diameter tubular CRCA structure
- Complete stainless steel stand
- Four tray with adjustable height attachment
- Equipped with four socket extension board and saline rod
- 1700 mm fixed height



ICU CURTAINS

BED SIDE SCREEN

Overall size: - 1220 mm L x 560 mm W x 1620 mm H

Unfolded Size of screen: -2400 mm L

- Pretreated and epoxy powder coated CRCA tubular structure
- 50 mm diameter wheels



INSTRUMENT TROLLEY

Overall size: - 710 mm L x 460 mm W x 810 mm H

- Stainless steel trolley with two shelves
- three side railings
- 100 mm diameter Diagonal wheels with brake



DRESSING TROLLEY WITH BOWL-BUCKET

Overall size :-

710 mm L x 460 mm W x 810 mm H

- Stainless steel trolley with two shelves
- three side railings
- bowl of 320 mm diameter & bucket of 210 mm diameter
- 100 mm diameter Diagonal wheels with brake



MAYO'S TROLLEY

Tray size: 410 mm x 560 mm

- Available in complete stainless steel/powder coated frame with stainless steel tray
- Height adjustment from 890 mm to 1400 mm
- 50 mm diameter wheels



MAYO'S TROLLEY (DOUBLE PILLAR)

Tray size: 710 mm L x 460 mm W

- Available in complete stainless steel/powder coated frame with stainless steel tray
- Height adjustment from 890 mm to 1400 mm
- 50 mm diameter wheels



(Fixed Height Type)

CARDIAC ICU TROLLEY (HEIGHT ADJUSTABLE)

Overall size: - 965 mm L x 430 mm W x 970 mm H

- Pretreated and epoxy powder coated trolley
- ABS/ Polymer molded top
- Height adjustable from 970 mm to 1180 mm
- 50 mm diameter wheels
- Fixed height trolley also available



OVER BED TABLE

Overall size :- 700 mm L x 340 mm W x 310 mm

- Complete stainless steel table
- Glass holding arrangement



First Aid Box

Bandages	Safety Pins	Scissors	First aid Manual	Tweezers
Adhesive Tape	Thermometer	Antiseptic wipes	Elastic Bandages	Boxed Package
Gauze roll and pads	Triangular Bandage	Emergency Blanket	Gloves	



Clutchers

- Design for better stability
- Special tripod base for the desired stability
- Suction rubber bush for better grip on any surface

This imported high-quality quadripod walking sticks are extremely helpful for patients, who need support while walking. This is perfect aid for those with poor balance. The four-legged design ensures a better stability. It features a lightweight and sturdy stainless steel construction and the suction rubber bush for better grip on any surface. With a push button, length can be adjusted telescopically.

- Disorders Injury or disorder of spine Stroke Chronic osteoarthritis of knee
- Enhanced stability, Strong and durable
- Rigid Support Universal Fit and Adjustable Support
- Simple push button allows height adjustment, Fitted with rubber shoe for safety.
- The Walking Sticks is perfect aid senior persons as it provides them the support to walk. It has an elegant look and a durable design

- Disorders Injury or disorder of spine Stroke Chronic osteoarthritis of knee
- Enhanced stability, Strong and durable
- Rigid Support Universal Fit and Adjustable Support
- Simple push button allows height adjustment, Fitted with rubber shoe for safety.
- The Walking Sticks is perfect aid senior persons as it provides them the support to walk. It has an elegant look and a durable design



Plain Walker

- Foldable Walker made up of Mild Steel.
- Height adjustable foldable Adult walker
- Center button For Folding and easy to Transport
- Walker for Adults, Patients, Old age Men and Women
- Reciprocating walker




PLAIN WALKER WITH CROME PLATED

- Premium Imported walker
- Foldable for storage and transportation
- Light weight and sturdy aluminum frame
- Easy to open and close with center button
- PVC handgrip for better comfort. Also uses PVC bushes



Walker with Wheel

- Premium Imported light weight foldable model with front wheels, It features height adjustable legs with 2 rubber ferrule tips for comfort and security.
- Comes with an height adjustable feature and easy to fold making it easy for storage and transportation
- Comes with a reciprocal feature in which the user does not require as much strength and balance to maneuver as the standard walker does, because the patient does not have to lift it from the floor.
- Designed as per biomechanical principles for proper weight distribution. It has an aluminum frame that is durable yet lightweight and is height adjustable with two armrests for added stability



Scale

- High Precision Strain Gauge Sensor System
- Tempered Glass 260 X 260 Mm
- Capacity 2.5-180 Kg
- Note: Kindly use the product on flat hard surface.



Digital Thermometer

- Smart and innovative thermometer with high precision
- Unbreakable
- High precision
- Sleek and attractive body



Infrared Thermometer

- CE Approved
- Non contact thermometer
- Takes Body temperature and Object temperature
- Accurate & Reliable

W-29



W-30



W-31



W-32





WALLMOUNT STAND (FIXED)- WM--FH

- WALL FIXING PLATE-HELPS TO TRAVEL ARM IN THE SLOT AREA
- THE ARM CAN BE SLITED UP AND DOWN
- THE MONITOR FIXING AREA CAN BE TILTED UP AND DOWN; ROTATED LEFT AND RIGHT
- HOOK USED FOR HOLDING CABLES OF THE MONITOR

WALLMOUNT STAND (FIXED)- WM--FB

- WALL FIXING PLATE-HELPS TO TRAVEL ARM IN THE SLOT AREA
- THE ARM CAN BE SLITED UP AND DOWN
- THE MONITOR FIXING AREA CAN BE TILTED UP AND DOWN; ROTATED LEFT AND RIGHT
- BASKET USED FOR HOLDING CABLES OF THE MONITOR



WALLMOUNT STAND (FIXED)- WM--FUB

- WALL FIXING PLATE-HELPS TO TRAVEL ARM IN THE SLOT AREA
- THE UNIVERSAL TRAY WILL BE MOUNTED, WHERE YOU CAN MOUNT THE MONITOR SIZE UPTO (30 CM X 23 CM), WHERE THE STOPPER KNOB HELPS TO HOLD THE ARM AT THEIR EXACT HEIGHT
- BASKET USED FOR HOLDING THE ACCESSORIES OF THE MONITOR
-



We Care...



Phoenix India

Innovative Thinking Making New India

GST IN : 19ASXPD7502R1ZT



Regd. Office :
Salboni, Paschim Medinipur-721147
Office :
Keranichoti, Paschim Medinipur-721102 (W.B)

phoenixindia.wb@gmail.com ✉

8159975189 📞

7908047414 / 9614964000 📞